



Standard Scale & Supply Company
25421 Glendale Avenue
Redford, MI 48239
313-255-6700
www.standardscale.com



HEALTH CARE
CATALOG

- 3** Weighbeam Physician Scales
- 4** Stainless Steel Weighbeam Physician Scales
- 5** Physician Scale Accessories
- 6** Low-Profile Professional Doctor Scales
- 7** Comfort-Height Professional Doctor Scales
- 8** Wall-Mount Stadiometers
- 9** 758C / 750 Digital Indicators - EMR / EHR
- 10** Eye-Level Digital Physician Scales
- 11** Waist-High Digital Physician Scales
- 13** Chair Scales
- 15** Bariatric Scales
- 18** Flip-Seat Digital Bariatric Scales
- 20** Mechanical Stationary Wheelchair Scales
- 21** Digital Stationary Wheelchair Scales
- 23** Folding Portable Wheelchair Scales
- 24** Portable Wheelchair Scales
- 27** In-Floor Scales
- 28** In-Bed Scales
- 29** Patient Lift Scales and Kit Adapters
- 30** Digital Baby Scales
- 32** Digital Baby Length Measuring
- 35** Mechanical Baby Scales
- 37** Suspended Baby Scales
- 38** Wet Diaper Scales
- 39** Autopsy Scales
- 40** Portable Home Healthcare Scales
- 43** Bathroom Scales
- 44** Step-On Cans
- 45** Waste Receptacles
- 46** Food Service Scales
- 48** Veterinary Scales
- 50** Latex Glove Box Holders
- 51** Index

OVER **110** YEARS
of medical accuracy



USA Manufacturer




(pictured left to right) President David Perry,
Director Rebecca Perry, and Director Bill Perry III

www.Detecto.com



Standard Scale & Supply Company
25421 Glendale Avenue
Redford, MI 48239
313-255-6700
dawright@standardscale.com
www.standardscale.com



Detecto
439

WEIGHBEAM PHYSICIAN SCALES



AMERICAN-MADE QUALITY

Detecto's world-renowned eye-level physician scales feature a dual-reading die-cast weigh beam which may be read from either side of the scale. Capacity may be increased to 500 lb / 220 kg by using an optional counterweight, also available from Detecto (see page 5). Scale is 59 in / 150 cm high.

MODEL	CAPACITY	HEIGHT ROD	WHEELS	HANDPOST
439	400 lb x 4 oz	•		
2391	180 kg x 100 g	•		
437	400 lb x 4 oz			
2371	180 kg x 100 g			
438	400 lb x 4 oz	•	•	
2381	180 kg x 100 g	•	•	
448	400 lb x 4 oz	•	•	•
449	400 lb x 4 oz	•		•
2491	180 kg x 100 g	•		•
339	400 lb x 4 oz / 175 kg x 100 g	•		
337	400 lb x 4 oz / 175 kg x 100 g			
338	400 lb x 4 oz / 175 kg x 100 g	•	•	
349	400 lb x 4 oz / 175 kg x 100 g	•		•

- Long-lasting, durable steel construction
- Electrostatic powder paint finish for optimum quality
- Height rod measures 30 - 78 in / 76 - 200 cm
- Heavy-duty solid, stable base for patient assurance
- 10.5 x 14.5 in / 27 x 37 cm platform with removable cover



To order call 313-255-6700 or email dawright@standardscale.com

STAINLESS STEEL WEIGHBEAM PHYSICIAN SCALES

SUPERB PROTECTION IN HIGH-HUMIDITY AREAS

Enjoy the classic elegance of stainless steel in your Detecto mechanical weighbeam scale. A platform cover that lifts off easily combined with the stainless steel casing makes cleanup a breeze. Water damage from mopping and high-humidity areas around swimming pools and locker rooms is a thing of the past with Detecto's stainless steel health care scales.



MODEL	CAPACITY	HEIGHT ROD
439S	400 lb x 4 oz	•
2391S	180 kg x 100 g	•
437S	400 lb x 4 oz	
2371S	180 kg x 100 g	
339S	400 lb x 4 oz / 175 kg x 100 g	•
337S	400 lb x 4 oz / 175 kg x 100 g	

Detecto
339S



Detecto
339S Weighbeam

- Stainless steel protects against rust from water damage
- Height rod measures 30 - 78 in / 76 - 200 cm
- 10.5 x 14.5 in / 27 x 37 cm platform with removable cover



To order call 313-255-6700 or email dawright@standardscale.com

PHYSICIAN SCALE ACCESSORIES



VERSATILE OPTIONS

With a whole host of optional accessories, Detecto's physician scales may be customized for your specific measurement requirements.



Detecto
448

MODEL	DESCRIPTION
3PHTROD-1	Height rod for eye-level physician scales: 30 in - 78 in / 76 cm - 200 cm
3PHTRODCM-1	Metric height rod for eye-level physician scales: 76 cm - 200 cm
3PHTRODWHCM-1	Metric height rod for waist-high physician scales: 76 cm - 200 cm
3PWHL	Wheels for use with all eye-level physician scales and models 8430 and 8437.
3PHNDPST	Handpost for replacement use on physician scales only
CW-9	Conversion weight assembly for use with new 437, 438, 439, 448 and 449 scales (Increase weight range from 400 lb to 500 lb)
CW-30X	Conversion weight assembly for use with old 437, 438, 439, 448 and 449 scales (Increase weight range from 350 lb to 450 lb)
CW-39X	Conversion weight assembly for use with old 337, 338, 339, 348 and 349 scales (Increase weight range from 350 lb to 450 lb - works for pounds only)
CW-80X	Conversion weight assembly for use with new 2371, 2381, 2391 and 2491 scales (Increase weight range from 180 kg to 220 kg)

- Increase the overall scale capacity to 500 lb / 220 kg using counterweights



To order call 313-255-6700 or email dawright@standardscale.com

LOW-PROFILE PROFESSIONAL DOCTOR SCALES

COMPACT SIZE - LARGE DISPLAY



Detecto PD100



Detecto PD200

- Wall/desk mounting bracket for display
- Portable with optional carrying case
- 87 in / 220 cm cable from base to display

- Angled display for convenient viewing
- Weight tracking for up to four users
- 12.5 in W x 13 in D / 32 cm W x 33 cm D platform



Detecto PRODOC-CASE

ProDoc® digital scales feature heavy-duty stable bases, Body Mass Index calculation, and highly-visible 1 in / 25 mm high LCD. Powered by 6 AA Alkaline batteries (not included) or optional 9V AC/DC power adapter.

MODEL	CAPACITY / DESCRIPTION	
PD100	480 lb x 0.2 lb / 220 kg x 0.1 kg Low profile with remote display	
PD100M	220 kg x 0.1 kg Low profile with remote display	OIML Class III
PRODOC-CASE	Carrying case for PD100 and PD100M	
PD200	480 lb x 0.2 lb / 220 kg x 0.1 kg Compact integral design scale	
PD200M	220 kg x 0.1 kg Compact integral design scale	OIML Class III



To order call 313-255-6700 or email dawright@standardscale.com

COMFORT-HEIGHT PROFESSIONAL DOCTOR SCALES

Detecto
PD300DHR



ECONOMICAL MEASUREMENT

Detecto's ProDoc® professional doctor scales are designed to provide the medical-grade accuracy you depend on. The LCD display provides easy-to-view 1 in / 25 mm high readouts. Six AA batteries (not included) or optional AC power adapter.

The model PD300DHR features digital weight and height measurement for accurate calculation of Body Mass Index. Detecto's time-saving digital height rod displays patient height quickly on the weight display. Simply step on the scale and touch one key to see weight and one key to automatically calculate BMI.

Detecto
PD300



MODEL	CAPACITY / DESCRIPTION	HEIGHT ROD	
PD300	480 lb x 0.2 lb / 220 kg x 0.1 kg		
PD300M	220 kg x 0.1 kg		OIML Class III
PD300DHR	480 lb x 0.2 lb / 220 kg x 0.1 kg	Digital	
PD300MDHR	220 kg x 0.1 kg	Digital	OIML Class III
PD300MHR	480 lb x 0.2 lb / 220 kg x 0.1 kg	Mechanical	
PD300MMHR	220 kg x 0.1 kg	Mechanical	OIML Class III
DHR	Optional digital height rod for PD300 43"/110cm - 79"/200cm	Digital	
MHR	Optional mechanical height rod for PD300 30"/76cm - 78"/200cm	Mechanical	

- Built-in wheels for fast transport
- 12.5 in W x 13 in D / 32 cm W x 33 cm D platform
- Includes four patient/family member weight memory recalls
- 48 in / 122 cm high display for easy viewing of measurements



To order call 313-255-6700 or email dawright@standardscale.com

WALL-MOUNT STADIOMETERS

DIGITAL STADIOMETERS

Detecto's exclusive digital height technology allows you to receive height readings quickly, accurately, and comfortably. Measure up to 6'7" / 200 cm with automatic height viewing on the remote display, positioned where you need it with Detecto's wall-mount or desktop bracket.

- Crisp 1 in / 25 mm high LCD readouts
- 69 in / 175 cm cable length from display to wall-mount height rod
- 6 AA Alkaline batteries (not included)

MODEL	MEASUREMENTS
DHRWM	43 in - 79 in / 110 cm - 200 cm



Detecto
DHRWM

MECHANICAL STADIOMETERS

Detecto's stadiometers have long been the choice for medical height measurement. Everything needed for operation is included with the stadiometer and installation takes seconds with the included hardware. Merely lift the spoon and request for the patient to step up to be measured.

- Easy to install, easy to operate
- Durable steel construction
- 1/4 in / 1/2 cm or 1/2 cm graduations

MODEL	MEASUREMENTS
3PHTROD-WM	30 in - 78 in / 76 cm - 200 cm
3PHTRODCM-WM	76 cm - 200 cm



Detecto
3PHTROD-WM



To order call 313-255-6700 or email dawright@standardscale.com

MORE FEATURES WITH DETECTO

Efficient Patient Measurement

Detecto
750 Indicator



- 0.75 in / 19 mm high digits
- Body Mass Index
- Serial connectivity
- 6 AA batteries or AC

OIML Class III

Indicators may be set to display metric only.



Height • Weight • Body Mass Index

The time-saving 1LOOK feature displays all patient measurements onscreen simultaneously

Detecto
758C Indicator



OIML Class III - 758CSV

EMR/EHR Connectivity

Efficiently send patient data to a PC for electronic recordkeeping via the indicator's serial, USB, or optional Ethernet port or to a printer.



Patient ID Barcode Scanning

Send patient ID to 758C indicator for EMR/EHR records

- 0.5 in / 13 mm high digits
- Up to 99 tares (optional)
- NTEP legal for trade
- 6 C batteries or AC



Detecto
P150
printer

Detecto
P600
printer



To order call 313-255-6700 or email dawright@standardscale.com

EYE-LEVEL DIGITAL PHYSICIAN SCALES

DIGITAL HEIGHT ROD AVAILABLE



Detecto's model 6437 eye-level digital physician scale is available with a digital, mechanical, or without a height rod. The 6437DHR scale (shown here) is designed for optimum performance and utilizes Detecto's unique **1LOOK** feature which displays height, weight, and BMI simultaneously by simply raising the digital height rod while a patient is being weighed on the physician scale. All of this data may be output to a printer or PC for EMR/EHR via the scale's serial, USB, or optional Ethernet ports. Six C-size batteries (not included) or optional AC adapter.



1LOOK Detecto exclusive feature on 6437DHR scales: **digital height, weight, and BMI** shown onscreen simultaneously.



MODEL	CAPACITY	HEIGHT ROD	HANDPOST
6437	500 lb x 0.2 lb / 225 kg x 0.1 kg		
6437DHR	500 lb x 0.2 lb / 225 kg x 0.1 kg	Digital	
6439	500 lb x 0.2 lb / 225 kg x 0.1 kg	Mechanical	
6449	500 lb x 0.2 lb / 225 kg x 0.1 kg	Mechanical	•

- Patient ID barcode scanning option
- Body Mass Index calculation and bar graph visual display
- 59 in / 150 cm high scale for convenient weight viewing
- Heavy-duty solid, stable base for patient assurance
- 10.5 x 14.5 in / 27 x 37 cm platform with removable cover

Detecto
6437DHR



-To order call 313-255-6700 or email dawright@standardscale.com

DIGITAL PHYSICIAN SCALES

DURABLE STEEL CONSTRUCTION



Detecto 6129



Detecto 6339

These waist-high and eye-level Detecto scales are the right choice for home, health, and clinical office weighing. The all-USA-manufactured scales are designed for years of dependable and accurate weighing, plus they are versatile enough to meet all clinical health requirements.

- Large 0.75 in / 19 mm high LCD digits
- Body Mass Index calculation
- Spacious weighing platform with heavy steel base
- 6 AA Alkaline or NiCad rechargeable batteries (not included) and optional AC adapter

WAIST HIGH

MODEL	CAPACITY	HEIGHT ROD
6127	500 lb x 0.2 lb / 225 kg x 0.1 kg	
6127KG	225 kg x 0.1 kg	
6129	500 lb x 0.2 lb / 225 kg x 0.1 kg	•
6129KG	225 kg x 0.1 kg	•


EYE LEVEL

MODEL	CAPACITY	HEIGHT ROD
6337	500 lb x 0.2 lb / 225 kg x 0.1 kg	
6339	500 lb x 0.2 lb / 225 kg x 0.1 kg	•

To order call 313-255-6700 or email dawright@standardscale.com

WAIST-HIGH DIGITAL PHYSICIAN SCALES

STAINLESS OR MILD STEEL



Detecto 8437S

Detecto's 8430 and 8437 waist-high digital scales come in stainless steel or mild steel with white powder paint and with or without a mechanical height rod. Detecto's stainless steel digital health care scales offer an extra-tough finish which stands up to water damage from mopping around the base and high-humidity areas such as locker rooms. They feature Body Mass Index calculation, heavy-duty base, and 37.5 in / 95 cm height. Six C size Alkaline batteries (not included) or optional AC adapter.

MODEL	CAPACITY	HEIGHT ROD	MATERIAL
8437	500 lb x 0.2 lb / 225 kg x 0.1 kg		Mild Steel
8437S	500 lb x 0.2 lb / 225 kg x 0.1 kg		Stainless Steel
8430	500 lb x 0.2 lb / 225 kg x 0.1 kg	•	Mild Steel
8430S	500 lb x 0.2 lb / 225 kg x 0.1 kg	•	Stainless Steel



Detecto 8430

- EMR/EHR Connectivity: serial, USB, or optional Ethernet
- Send measurement data to PC or printer
- Height rod measures 30 - 78 in / 76 - 200 cm
- Heavy-duty 10.5 x 14.5 in / 27 x 37 cm platform
- Patient ID ability



To order call 313-255-6700 or email dawright@standardscale.com

CHAIR SCALES

MECHANICAL CHAIR SCALES



Detecto 475

Frequent weight checks of frail, handicapped, and elderly patients can be a tremendous, time-consuming task without the proper equipment. Detecto simplifies that job with a selection of innovatively-designed chair scales with wheels.

MODEL	CAPACITY
475	400 lb x 4 oz
4751	400 lb x 4 oz / 175 kg x 100 g
475-CFR	Covered foot rest

- Plastic-molded seat for patient comfort
- Lift-away arms and footrest for easy access
- Die-cast beam readable from both sides

DIGITAL CHAIR SCALES



Detecto 6475



Developed to ensure patient safety and comfort as well as to reduce weighing time, these digital chair scales with wheels are conveniently portable and offer easy side or front access for your special patients. Features crisp waist-high LCD readouts.

MODEL	CAPACITY
6475	400 lb x 0.2 lb / 180 kg x 0.1 kg
6475K	180 kg x 0.1 kg
475-CFR	Covered foot rest

- Large 0.75 in / 19 mm high LCD digits
- Lift-away arms and footrest for easy access
- Fast readouts - accuracy to 0.2 lb or 0.1 kg



To order call 313-255-6700 or email dawright@standardscale.com

CHAIR SCALES

DIGITAL CHAIR SCALES

Ergonomics dictated this stylish, battery-powered chair scale's contemporary design. The LCD displays large .75 in / 19 mm high digits. Concealed wheels and sleek styling allow this scale to be extremely portable - it even fits through a standard 30 in / 76 cm door. The armrests fold out of the way to allow patients easy accessibility.

MODEL	CAPACITY
6875	400 lb x 0.2 lb / 180 kg x 0.1 kg
6875KGEU	200 kg x 0.1 kg

OIML Class III

- Plastic-molded seat for patient comfort
- Battery powered for complete portability
- Fully electronic - 4 load cells



Detecto
6875



ROLLING CHAIR SCALES

Detecto's 6880 offers fold-up armrests and footrests, secure rear wheel brakes, an ergonomically shaped seat and smooth-gliding 3 in / 7 cm diameter wheels which can turn around easily in a full revolution. The scale is fully electronic with a single load cell. Padded handgrips contribute to the 6880 being a pleasure to operate.

MODEL	CAPACITY
6880	440 lb x 0.2 lb / 200 kg x 0.1 kg
6880KGEU	200 kg x 0.1 kg

OIML Class III

- LOCK key for holding patient weights
- Lift-away armrests and footrest
- Convenient units switching between lbs/kgs



Detecto
6880



To order call 313-255-6700 or email dawright@standardscale.com

BARIATRIC SCALES

PORTABLE CONVENIENCE



Detecto
6800

Ideal for most clinical weighing applications, this scale is low profile for patient comfort when stepping on and off the scale. With a built-in carrying handle, Detecto's model 6800 scale is easy to transport from office to office. Utilizing Detecto's model 750 weight display and a universal bracket, the indicator may be mounted on a wall or desk for easy viewing. Powered by 6 AA batteries (not included), this scale is truly portable when power outlets are not accessible. 10 ft / 3 m long cable from indicator to the scale. EMR-EHR-ready serial port.

MODEL	CAPACITY
6800	800 lb x 0.2 lb / 360 kg x 0.1 kg
6800KGEU	300 kg x 0.1 kg or 350 kg x 0.2 kg

OIML Class III

- Spacious 24 in / 61 cm square weighing platform
- Body Mass Index calculation
- Skid-proof, textured black rubber mat
- Lightweight, ultra-portable design
- High 800 lb / 360 kg bariatric weighing capacity



To order call 313-255-6700 or email dawright@standardscale.com

WAIST-HIGH DIGITAL BARIATRIC SCALES



EMR/EHR-READY CONNECTIVITY

Detecto's 6855 and 6854DHR are engineered specifically for weighing obese and unsteady patients and feature a low-profile platform with non-skid surface and sturdy stainless steel hand-rails with padded grips for patient assurance. The 6854DHR scale features Detecto's **1LOOK** for optimum performance displaying height, weight, and BMI simultaneously by simply raising the digital height rod while a patient is being weighed. There are no keys to push and no operational sequences. Both of these scales are EMR/EHR-ready. Height rod measures up to 6'7" / 200 cm.



Detecto
6855
(features
serial port)

Detecto
6854DHR
(features serial,
USB, and optional
Ethernet ports)



MODEL	CAPACITY	HEIGHT ROD	
6855	600 lb x 0.2 lb / 270 kg x 0.1 kg		
6855KGEU	300 kg x 0.1 kg or 350 kg x 0.2 kg		OIML Class III
6854DHR	600 lb x 0.2 lb / 270 kg x 0.1 kg	Digital	
6854KGEUDHR	300 kg x 0.1 kg or 350 kg x 0.2 kg	Digital	OIML Class III



1LOOK Detecto exclusive feature on 6854DHR scales: **digital height, weight, and BMI** shown onscreen simultaneously.

- 18 in x 14 in / 46 cm x 36 cm weighing platform
- Digital measurement speed and accuracy
- Skid-proof, textured black rubber mat
- Integral wheels for quick and efficient transport
- Output measurement data to PC or printer



To order call 313-255-6700 or email dawright@standardscale.com



Detecto 6857DHR (features serial, USB, and optional Ethernet ports)

WAIST-HIGH DIGITAL BARIATRIC SCALES

EXTRA-LARGE SIZE PLATFORM

Detecto's 6856 and 6857DHR bariatric scales' balanced design and integral wheels make them easy to move. The 6857DHR scale (shown left) is designed for optimum performance and utilizes Detecto's unique **1LOOK** feature which displays height, weight, and BMI simultaneously by simply raising the digital height rod while a patient is being weighed on the bariatric scale. There are no keys to push and no operational sequences to memorize, it's fully automatic. All of this data may be output to a printer or PC for EMR/EHR via the scale's serial, USB, or optional Ethernet ports.

MODEL	CAPACITY	HEIGHT ROD
6856	800 lb x 0.2 lb / 360 kg x 0.1 kg	
6856KGEU	300 kg x 0.1 kg or 350 kg x 0.2 kg	
6857DHR	800 lb x 0.2 lb / 360 kg x 0.1 kg	Digital
6857KGEUDHR	300 kg x 0.1 kg or 350 kg x 0.2 kg	Digital

OIML Class III

OIML Class III



Detecto 6856 (features serial port)

1LOOK Detecto exclusive feature on 6857DHR scales: **digital height, weight, and BMI** shown onscreen simultaneously.

- Spacious 24 in / 61 cm square weighing platform
- Extra-high 800 lb / 360 kg bariatric weighing capacity
- Patient ID barcode scanning option on 6857DHR
- Body Mass Index calculation and bar graph visual display
- Stainless steel handrails with padded patient handgrips



To order call 313-255-6700 or email dawright@standardscale.com

FLIP-SEAT DIGITAL BARIATRIC SCALES

SEATED/STANDING WEIGHING



Detecto 6876

Detecto's portable 6876 features BMI calculation, 6 AA batteries (not included) or optional AC adapter, concealed wheels for quick mobility, and a roomy non-slip rubber mat weighing platform. This scale is a hybrid standing/sitting scale. The seat flips up and down easily to allow weighing in a standing or sitting position to maximize patient comfort. It's equipped with retractable armrests for ease in transferring patients into and out of the chair scale and to accommodate patients with casts. The LOCK/RELEASE key allows weight to be viewed after the patient leaves the scale.

MODEL	CAPACITY
6876	600 lb x 0.2 lb / 270 kg x 0.1 kg
6876KGEU	300 kg x 0.1 kg or 350 kg x 0.2 kg

OIML Class III

- 24 in / 61 cm square weighing platform
- Padded seat and armrests ensure patient comfort
- Sitting/standing/wheelchair transfer access
- Integral wheels for quick and efficient transport
- Armrests fold up and down for ease of patient access



To order call 313-255-6700 or email dawright@standardscale.com



FLIP-SEAT DIGITAL BARIATRIC SCALES

SPACIOUS WEIGHING PLATFORM

Detecto
6868



MODEL	CAPACITY	
6868	800 lb x 0.2 lb / 360 kg x 0.1 kg	
6868KGEU	300 kg x 0.1 kg or 350 kg x 0.2 kg	OIML Class III

- 32 in x 34 in / 81 cm x 86 cm weighing platform
- Padded seat ensures patient comfort
- Extra-high weighing capacity for bariatrics
- Easy transport on the scale's large diameter wheels
- Low-profile platform for easy patient access

Built specifically for weighing obese and unsteady patients, Detecto's 6868 portable bariatric scales feature a flip-up seat allowing weighing in a standing or sitting position. Sturdy stainless steel handrails with padded foam hand grips, non-skid rubber mat, and an extra wide platform adds comfort to the weighing of obese patients and those requiring assistance. The compact design permits the scale to roll through doors and into patients' rooms for easy weighing (requires door opening greater than 32 in / 81 cm wide). Six AA batteries (not included) or optional AC adapter.



To order call 313-255-6700 or email dawright@standardscale.com

MECHANICAL STATIONARY WHEELCHAIR SCALES

NO POWER NECESSARY



Detecto
495



This heavy-duty stationary wheelchair features a detachable ramp designed for smooth entry and exit. The 495 features a padded handrail for ambulatory patients and Detecto's world-renowned die-cast, dual-sided, eye-level weigh-beam graduated in 4 ounce or 100 gram increments. The weigh beam is readable on both sides, for patient and attendant. Input from customers specializing in the care of ambulatory patients provided information which was transferred into features and benefits of this scale, evident the first time you use it!

MODEL	CAPACITY
495	400 lb x 4 oz
4951	180 kg x 100 g

- Long-lasting, durable steel construction
- Electrostatic powder paint finish for optimum quality
- 30 in x 26 in / 76 cm x 66 cm weighing platform
- Die-cast weigh beam readable from both sides
- Available in metric or imperial measurement
- Non-skid mat for traction while weighing



To order call 313-255-6700 or email dawright@standardscale.com

DIGITAL STATIONARY WHEELCHAIR SCALES

DIGITAL SPEED AND ACCURACY



Detecto 6495

MODEL	CAPACITY
6495	400 lb x 0.2 lb / 180 kg x 0.1 kg

- Numeric keypad for wheelchair tare weights
- Connectivity output to printer or EMR/EHR
- 30 in x 26 in / 76 cm x 66 cm weighing platform
- Convenient units switching from lbs to kgs
- Platform accomodates all sizes of wheelchairs
- LOCK/HOLD key for holding patient weight

With the model 6495 heavy-duty digital wheelchair scale, you receive speed and increased accuracy that only electronic weighing can provide. The digital weight display is mounted at a convenient angle for easy viewing. A keypad for entry of known weights of empty wheelchairs speeds the weighing process and provides the exact weight of patients instantly in 0.5 in / 13 mm high LCD digits. The 6495 features RS232 serial, USB, and optional Ethernet for connectivity to EMR/EHR in healthcare facilities. Powered by 6 C-size batteries (not included) or optional AC adapter.



To order call 313-255-6700 or email dawright@standardscale.com

MECHANICAL STATIONARY WHEELCHAIR SCALES

NO POWER NECESSARY



Detecto
485

Built for use with any standard-size wheelchairs, these scales offer the utmost in comfort for wheelchair-bound patients and long-lasting durability for nursing personnel. Detecto's sturdy design incorporates a standard eye-level physician scale with a detachable ramp, allowing easy movement on and off the platform. The scale's weighbeam is easily read from both sides. The ramp kit (model 3PRAMP) is detachable, allowing the scale to be used as a stand-alone physician scale as well, or the kit may be attached to an existing Detecto physician scale.

MODEL	CAPACITY
485	350 lb x 4 oz
4851	160 kg x 100 g
3PRAMP	Wheelchair ramp

- 27 in x 30 in / 69 cm x 76 cm weighing platform
- Long-lasting, durable steel construction
- Electrostatic powder paint finish for optimum quality
- Die-cast weigh beam readable from both sides
- Available in metric or imperial measurement



To order call 313-255-6700 or email dawright@standardscale.com

FOLDING PORTABLE WHEELCHAIR SCALES

UNIQUE FOLD-UP DESIGN



Detecto 6550



The 6550's column folds down and latches securely for easy transport in four directions.



MODEL	CAPACITY
6550	1,000 lb x 0.2 lb / 450 kg x 0.1 kg
6550KGEU	300 kg x 0.1 kg or 350 kg x 0.2 kg

OIML Class III

- 30 in x 32 in / 76 cm x 81 cm platform (flat portion)
- 6 C batteries (not included) or optional AC adapter
- EMR/EHR-ready serial, USB, and optional Ethernet
- Lightweight fold-up scale for heavyweight tasks
- 2-way low-profile platform for easy patient access

This incredibly-popular lightweight scale offers a wide range of versatility. It can be used with wheelchairs, straight-legged chairs or as a stand-on scale, and its sloped ramps offer versatility by allowing entry from either side. The 6550's vertical fold-up feature and heavy-duty wheels contribute to its ease of mobility and minimal storage space. The 6550's digital weight indicator is the industry's most advanced, featuring serial, USB and optional Ethernet output, BMI calculation, yellow "quick keys" for basic weighing, and an easy-to-read LCD display.



To order call 313-255-6700 or email dawright@standardscale.com

PORTABLE WHEELCHAIR SCALES

TWO-WAY EASY-ACCESS RAMPS

With built-in ramps for entering and exiting the scale, Detecto's 6500 portable scale is perfect for any wheelchair application. You may key in the wheelchair weight, so that only the patient weight is displayed. Platform size is 30 in x 32 in / 76 cm x 81 cm (flat portion). Powered by 6 C-size batteries (not included) or optional AC adapter.

MODEL	CAPACITY
6500	1,000 lb x 0.2 lb / 450 kg x 0.1 kg
6500KGEU	300 kg x 0.1 kg or 350 kg x 0.2 kg

- Integral dual wheels and carrying handles
- Low-profile platform for easy patient access
- EMR / EHR connectivity for efficient records



INTEGRATED WHEELCHAIR STOP

Weighing in at less than 100 lb / 45 kg, these scales can be moved wherever you need them. Whether it's multiple weighing locations at a single facility or a stationary location, they are ideal for weighing patients in wheelchairs, dialysis patients, or walk-ons. EMR / EHR-ready connectivity.

MODEL	CAPACITY
CR-500D	500 lb x 0.2 lb / 225 kg x 0.1 kg
CR-1000D	1,000 lb x 0.5 lb / 450 kg x 0.2 kg
CRM-1000DKGEU	500 kg x 0.2 kg

- Integral ramp, carrying handles, and wheels
- 30 in W x 28.5 in D / 76 cm W x 72 cm D weighing platform (flat portion)



To order call 313-255-6700 or email dawright@standardscale.com

PORTABLE BARIATRIC WHEELCHAIR SCALES

EXTRA-WIDE SCALE PLATFORM



Detecto
BRW1000

Accommodating up to 40 in / 101 cm wide bariatric size wheelchairs, Detecto's BRW1000 provides everything required for weighing bariatric patients. For extended patient comfort, clinical staff may simply roll the patient on the scale and key in the wheelchair tare weight for quick and easy weighing. Heavy-duty construction, extra-large weighing platform with integral ramp, and 1,000 lb capacity makes this the perfect scale for weighing patients in manual or power wheelchairs, dialysis patients, or walk-ons. EMR/EHR-ready serial, USB, and optional Ethernet connectivity.

MODEL	CAPACITY
BRW1000	1,000 lb x 0.5 lb / 450 kg x 0.2 kg
BRW1000KGEU	400 kg x 0.2 kg or 300 kg x 0.1 kg

OIML Class III

- Spacious 40 in W x 30 in D / 101 cm W x 76 cm D weighing platform (flat portion)
- Completely portable: wheels and carrying handles
- Light in weight, but heavy in capacity
- Integral two-way access ramps
- Body Mass Index calculation



To order call 313-255-6700 or email dawright@standardscale.com

STATIONARY WHEELCHAIR SCALES

EXTRA-LARGE PLATFORMS



Detecto
FHD-144-II



The large slip-resistant platform of Detecto's FHD scales accommodate walk-on patients, wheelchairs, straight-legged chairs, or walkers. These scales feature a high 1,000 lb / 450 kg capacity with your choice of 36 in / 91 cm or 48 in / 122 cm square platforms. The weight indicator provides EMR/EHR-ready output via serial, USB, or optional Ethernet ports. This scale can only be used for top of floor installations. Please consult factory for pit type installations.

MODEL	CAPACITY	PLATFORM SIZE
FHD-133-II	1,000 lb x 0.2 lb / 450 kg x 0.1 kg	36 in / 91 cm square
FHD-144-II	1,000 lb x 0.2 lb / 450 kg x 0.1 kg	48 in / 122 cm square

- Numeric keypad for entry of wheelchair tare weights
- Output patient measurement data efficiently to printer or PC
- Low-profile platform for easy patient access
- 15 ft / 4.5 m long cable from scale to indicator
- 28.5 in / 72 cm long ramp included



To order call 313-255-6700 or email dawright@standardscale.com



IN-FLOOR SCALES

DIALYSIS PATIENT MONITORING

Detecto's in-floor scales are exceptional for dialysis patient monitoring and bariatric weighing. The platform is level with the floor for easy access, so it also works well for multi-purpose weighing. The patient simply walks or is wheeled onto the platform and weighed. Stretchers and beds fit easily onto the 6 ft long model with no need for dual scale systems. The weight is displayed on a recessed or wall-mounted digital readout. The digital indicator is AC powered for continual use and gives you a choice of pound or kilogram weight readings. The handrail is optional.

Detecto model FH-144-II/CH shown above with handrail and included model 204FWMP digital weight indicator/printer combo.



Detecto model FH-164-II/C accommodates gurneys

MODEL	CAPACITY	PLATFORM SIZE
FH-133-II/C	1,000 lb x 0.2 lb / 450 kg x 0.1 kg	36 in x 36 in / 90 cm x 90 cm
FH-133-II/CH*	1,000 lb x 0.2 lb / 450 kg x 0.1 kg	36 in x 36 in / 90 cm x 90 cm
FH-143-II/C	1,000 lb x 0.2 lb / 450 kg x 0.1 kg	48 in x 36 in / 120 cm x 90 cm
FH-143-II/CH*	1,000 lb x 0.2 lb / 450 kg x 0.1 kg	48 in x 36 in / 120 cm x 90 cm
FH-144-II/C	1,000 lb x 0.2 lb / 450 kg x 0.1 kg	48 in x 48 in / 120 cm x 120 cm
FH-144-II/CH*	1,000 lb x 0.2 lb / 450 kg x 0.1 kg	48 in x 48 in / 120 cm x 120 cm
FH-164-II/C	1,000 lb x 0.2 lb / 450 kg x 0.1 kg	72 in x 48 in / 180 cm x 120 cm
FH-164-II/CH*	1,000 lb x 0.2 lb / 450 kg x 0.1 kg	72 in x 48 in / 180 cm x 120 cm

* H suffix = Handrail comes with these designated models.
 The models listed above come with steel frame pit kits and model 204FWMP digital weight indicator/printer combo.
 Please consult factory for pit installations.



To order call 313-255-6700 or email dawright@standardscale.com

IN-BED SCALES

FOR BED-BOUND PATIENTS



Detecto's in-bed scales feature flame-retardant, anti-bacterial 6 ft / 1.8 m long stretchers which are placed underneath the patient and hydraulically lifted inches from the bed for weighing. They feature locking casters, adjustable weighing arm, and sturdy steel construction. The model IB800 features base widening stance for added stability. The ZERO key allows staff to easily subtract the weight of bedding for accurate patient measurement. Six AA alkaline batteries (not included) or optional AC adapter. Not for transport.

MODEL	CAPACITY	BASE
IBFL500	500 lb x 0.1 lb / 225 kg x 0.1 kg	Fixed
IB800	800 lb x 0.2 lb / 350 kg x 0.1 kg	Adjustable

- Hydraulic lift mechanism eases lifting
- Stretcher carrying strap and "easy stow" hoops
- Under bed clearance: 4.8 in / 12 cm high
- Serial connectivity: EMR / EHR ready



Detecto
IBFL500
(fits through 36 in /
91 cm doorways)



Detecto
IB800
(fits through 32 in /
81 cm doorways)

To order call 313-255-6700 or email dawright@standardscale.com

PATIENT LIFT SCALES AND KIT ADAPTERS

FOR USE WITH PATIENT LIFTS



Detecto PL400



Detecto 11S400H

The PL series digital scales can determine the weight of a person suspended from a portable patient lift and operates on one 9V battery. The lock-in weight feature stores the last weight reading when the unit is turned off, and these scales feature 0.75 in / 19 mm high readouts. Detecto also offers mechanical patient lift scales with 7 in / 18 cm diameter, single revolution dial, cast iron housing, and 24.75 in / 63 cm overall height.

MODEL	CAPACITY
PL400	400 lb x 0.2 lb / 180 kg x 0.1 kg
PL600	600 lb x 0.2 lb / 270 kg x 0.1 kg
11S400H	400 lb x 1 lb (mechanical dial)

PATIENT LIFT KIT ADAPTERS

MODEL	DESCRIPTION
PL-HLKIT	Connecting link kit connects the Hoyer® yoke to Detecto's PL400 or PL600 indicator. Includes 2 stainless steel links, 2 stainless steel spacers, 2 stainless steel shoulder bolts, and 2 elastic stop nuts.
PL-ICKIT	Connecting link kit connects the Invacare® models RPA600-1, RPL450, or 9805 patient lifts to Detecto's PL400 or PL600 indicator. Includes 2 stainless steel links, 1 stainless steel PL/lift adapter, 4 stainless steel shoulder bolts, 4 elastic stop nuts, and 6 stainless steel spacers.



Hoyer® and Invacare® are trademarks of their respective companies. Patient lift itself is not included.



To order call 313-255-6700 or email dawright@standardscale.com

DIGITAL BABY SCALES

AUTOMATIC WEIGHT HOLD



Detecto
6745



Detecto's model 6745 features integral measuring tape (up to 22 in / 56 cm), built-in battery charger for NiCad or NiMH batteries, AC power cord (included), a locking pin for easily removing the tray for cleaning, 1 in / 25 mm high LCD, and serial output for connectivity with a printer or PC. Tray size is 28 in W x 14 in D / 71 cm W x 36 cm D.

- Output weight data to printer or PC
- Step-by-step instructions right on the keypad
- Rolling stainless steel baby scale cart available

MODEL	CAPACITY
6745	30 lb x 0.1 oz / 15 kg x 0.005 kg
SPBT-1728	Rolling baby scale cart 27.75 in W x 16.75 in D x 33.4 in H / 71 cm W x 43 cm D x 85 cm H

Detecto
SPBT-1728



To order call 313-255-6700 or email dawright@standardscale.com



Detecto 8432-CH

DIGITAL BABY SCALES

INCLINED CHAIR SEAT

Infants readily accept the inclined seating of Detecto's digital tot weigher scale. With a fun, plastic, shell-shaped seat that is easy to clean with imperial and metric readings, this battery-powered scale has a lot to offer. The plastic seat may be mounted in three different directions.

MODEL	CAPACITY
8432-CH	44 lb x 0.05 lb / 20 kg x 0.02 kg

- Plastic, shell-shaped seat for patient comfort
- Heavy-duty steel base and understructure
- Fast readouts - accuracy to 0.05 lb or 0.02 kg

FLAT WEIGHING TRAY



Detecto 8435



Easy-to-clean polystyrene trays cradle babies securely on these dependable scales. The filtering feature compensates for typical baby movement and the LOCK key holds weight. Powered by 6 AA batteries (not included) or optional AC adapter.

MODEL	CAPACITY
8435	130 lb x 0.1 lb / 59 kg x 0.05 kg
8435KG	59 kg x 0.05 kg

- LOCK/RELEASE key holds baby's weight
- Roomy 22 in W x 14.7 in D / 56 cm W x 37 cm weighing tray
- 0.75 in / 19 mm high LCD readouts



To order call 313-255-6700 or email dawright@standardscale.com

DIGITAL BABY LENGTH MEASURING

DIGITAL SPEED AND ACCURACY



Detecto
DLM

Detecto's model DLM may be used stand-alone on an exam table or with Detecto's model MB130 and MB150 pediatric scales. The lightweight design and battery power make it ideal for easy transport from one patient room to another. Dimensions: 11.4 in W x 2.7 in H x 24.4 in L / 29 cm W x 7 cm H x 62 cm L. Graduations: 1/16 in / 1 mm.

- Two 1.5V AAA batteries included
- HOLD feature retains measurement
- Bold LCD with convenient units switching

MODEL	MEASUREMENT RANGE
DLM	13¾ in - 31½ in / 35 cm - 80 cm Readouts in feet/inches, inches, and centimeters



Detecto
MB130 with DLM



To order call 313-255-6700 or email dawright@standardscale.com

DIGITAL BABY / STAND-ON SCALES

BABY / TODDLER SCALE



Detecto MB130

With dual graduation ranging from neonatal to pediatric care (accurate to 5 grams), Detecto's MB130 features a removable baby tray which automatically converts the scale into a low-profile step-on toddler scale with a capacity of up to 20 kilograms / 40 pounds. One 9V Alkaline battery (not included) or AC adapter (included).



MB130 converts to stand-on toddler scale

MODEL	CAPACITY / DESCRIPTION
MB130	0 - 10 kg x 5 g / 0 - 20 lb x 0.01 lb 10 - 20 kg x 10 g / 20 - 40 lb x 0.02 lb
MB-CASE	Carrying case for MB130 / MB150

- 1 in / 25 mm high LCD with 5 active digits
- Attach DLM for digital length measurement

BABY / MOTHER SCALE



Detecto MB150

Multifunctionality is the key to Detecto's MB150. This digital scale features a removable baby tray and converts into a low-profile step-on personal scale with a capacity of up to 330 lb / 150 kg at the push of a button. The LCD also flips the display reading vertically, so it's viewable from a standing position looking down.



MB150 converts to stand-on adult scale

Detecto MB-CASE

MODEL	CAPACITY / DESCRIPTION
MB150	Adult: 330 lb x 0.2 lb / 150 kg x 0.1 kg Baby: 44 lb x 0.02 lb / 20 kg x 0.01 kg
MB-CASE	Carrying case for MB130 / MB150

- Body Mass Index calculation
- Attach DLM for digital length measurement



DIGITAL BABY / TODDLER SCALES

Detecto
8440-CASE

ACCURACY TO 1/2 OUNCE



Detecto
8440

Detecto's 8440 baby scale is perfect for home health care or wherever space is limited and performance is paramount. Powered requirements: one 9V Alkaline battery (not included) and one 3V CR2032 lithium backup-up battery (included) for memory. Scale dimensions: 13.7 in W x 11 in D x 6.9 in H / 35 cm W x 28 cm D x 18 cm H.

MODEL	CAPACITY / DESCRIPTION
8440	44 lb x 1/2 oz / 20 kg x 10 g
8440-CASE	Carrying case for 8440

- Date and time display
- Storage of previous weight
- Large 1 in / 25 mm high LCD display



Collapsible baby tray for standing toddler weighing and easy storage



To order call 313-255-6700 or email dawright@standardscale.com

MECHANICAL BABY SCALES

NO POWER REQUIRED




Detecto
2341

Detecto's model 2341 baby scale is ideal for infant weighing in metric measurements. Tray size: 20 in W x 8 in D / 51 cm W x 20 cm D (flat portion). Overall size: 20 in W x 13 in D x 7.5 in H / 51 cm W x 33 cm D x 19 cm H.

MODEL	CAPACITY
2341	16 kg x 5 g

- Integral baby length measuring tape
- Roomy weighing tray for active infants
- Poise locks for secure transport



Detecto
243

These sturdy USA-made mechanical scales are built with the active baby in mind. The metal tray with white powder paint holds infants comfortably. Overall size: 21 in W x 19 in D x 10.5 in H / 53 cm W x 48 cm D x 27 cm H.

MODEL	CAPACITY
243	20 lb x 2 oz
2431	10 kg x 50 g
2441	16 kg x 100 g

- Springless, balance beam
- Easy-to-read, blue graduations
- 19 in W x 11 in D / 48 cm W x 28 cm D Tray



Detecto
2531

These USA-made beam style scales feature sturdy, compact construction with easy-to-read balance beams and white metal trays. Your choice of pounds or kilograms. Tray size: 24 in W x 11.5 in D x 2.75 in H / 61 cm W x 29 cm D x 7 cm H.

MODEL	CAPACITY
253	41 lb x 1/4 oz
2531	20 1/2 kg x 10 g

- White metal tray with baked powder paint
- Easy-to-read balance beam
- Perfect for hospitals, clinics or home nursery



To order call 313-255-6700 or email dawright@standardscale.com

MECHANICAL BABY SCALES

INCLINED CHAIR SEAT

Infants readily accept the inclined seating of Detecto's mechanical pediatric scales. With a fun, plastic, shell-shaped seat that is easy to clean, the 459-CH mechanical beam scale has a lot to offer. The die-cast beam may be read from either side of the scale for added convenience. The inclined chair seat may be mounted in three different directions, depending upon user preference.

MODEL	CAPACITY
459-CH	40 lb x 0.5 oz / 17.5 kg x 10 g

- Plastic, shell-shaped seat for patient comfort
- Heavy-duty steel base and understructure
- Pound and kilogram measurements



Detecto
459-CH



FLAT WEIGHING TRAY

Easy-to-clean polystyrene trays cradle babies securely on these dependably accurate scales. Tray size: 22 in W x 14.75 in D x 4.5 in H / 56 cm W x 37 cm D x 11 cm H. Overall dimensions: 22 in W x 21 in D x 27 in H / 56 cm W x 53 cm D x 69 cm H. Integral measuring tape: up to 22 inches / 56 cm.

MODEL	CAPACITY
450	130 lb x 1 oz
451	65 kg x 20 g
459	40 lb x 0.5 oz / 17.5 kg x 10 g
4591	20 kg x 10 g

- Roomy weighing tray for active babies
- Die-cast beam may be read from either side



Detecto
450



To order call 313-255-6700 or email dawright@standardscale.com

SUSPENDED BABY SCALES

SLING SEAT INCLUDED

Ideal for doctors and nurses working in remote locations, Detecto's model HS25KGP Baby Scale is lightweight and portable without requiring any battery or AC power. The included waterproof vinyl weighing trousers are attached to a heavy-duty, zinc-plated S-hook providing a comfortable suspended sling seat for weighing babies

MODEL	CAPACITY
HS25KGP	25 kg x 100 g

- Heavy-duty zinc-plated 4 in /10 cm S-hook
- No power required for operation
- 8 in / 20 cm shatterproof glass dial
- Ultraportable and accurate

NO POWER REQUIRED

The made-in-USA MCS25KGN Suspended Baby Scale is lightweight and portable. It's designed to withstand rugged conditions and remain accurate through years of continuous service. Perfect for doctors and nurses working in remote locations.

MODEL	CAPACITY / DESCRIPTION
MCS25KGN	25 kg x 100 g (sling seat included)
MCS25KGN	25 kg x 100 g (no sling seat)

- Heavy-duty zinc-plated 4 in /10 cm S-hook
- 8 in / 20 cm shatterproof glass dial
- Ultraportable and accurate
- No power required



Detecto
HS25KGP



Detecto
MCS25KGN



To order call 313-255-6700 or email dawright@standardscale.com

WET DIAPER SCALES

REMOVABLE WEIGHING TRAYS



Detecto AP-4KD



Detecto PS5A-2KD

Detecto packs a lot of functionality into these compact wet diaper scales, designed to accurately measure fluid output. Featuring 0.5 inch / 13 mm high LCD, pushbutton tare, and AC adapter, these scales come with 9 in W x 6 in D x 2 in H / 23 cm W x 15 cm D x 5 cm H stainless steel trays for easy clean-up, a major consideration in nurseries where repeated use is the rule. Available with stainless steel (left) or baked enamel (right) enclosure.

MODEL	CAPACITY	ENCLOSURE
AP-4KD	4,000 g x 1 g	stainless steel
PS5A-2KD	70 oz x .1 oz / 1,998 g x 2 g	baked enamel


- AC adapter included with both scales
- Push button tare simplifies weighing
- Stainless steel weighing tray
- Compact size fits in any space



To order call 313-255-6700 or email dawright@standardscale.com

AUTOPSY SCALES

STAINLESS STEEL QUALITY



Detecto
T3530



Detecto's T3530 hanging scale comes with a deep 15 in / 38 cm round stainless steel pan and bows. Long term accuracy is guaranteed by Detecto's use of Thermolastic springs which are not affected by extreme temperature variations. An air dashpot that absorbs shock created when items are placed on the scale protects the mechanism and increases the scale life. The extra-large, recessed 14.5 in / 37 cm dial is easily readable from both sides and is lithographed on metal with chrome-plated sashes and stainless steel bands. Stainless steel housing and stainless steel pans enhance the clean, attractive appearance. Removable pan is easily sterilized.

MODEL	CAPACITY
T3530	32 lb - 10 lb x 1 oz

- Easy-to-read, oversized 14.5 in / 37 cm dial
- 3.2 revolutions
- 15 in / 38 cm round stainless steel pan
- Air dash pot
- Made-in-USA quality



To order call 313-255-6700 or email dawright@standardscale.com

PORTABLE HOME HEALTHCARE SCALES

ONE-INCH-HIGH LCD



Detecto
DR400C

Detecto
DR400C-CASE

MODEL	CAPACITY
DR400C	400 lb x 0.5 lb / 180 kg x 0.2 kg
DR400C-CASE	Carrying case for DR400 / DR550

- 12 in x 12 in / 35 cm x 35 cm platform
- Completely portable - optional carrying case

Accurate and reliable, Detecto's economical DR400C platform scale is lightweight and portable, making it perfect for mobile clinics and home care nurses. The remote indicator features a large 1 in / 25 mm high LCD. Six AA Alkaline batteries (not included) or AC adapter (included). Slip resistant mat for patient safety.

BODY MASS INDEX



Detecto
DR400-750

MODEL	CAPACITY
DR400-750	400 lb x 0.2 lb / 180 kg x 0.1 kg

- Selectable units
- 6 AA batteries (not included) or optional AC
- Completely portable - optional carrying case

The remote digital indicator comes with a mounting bracket which easily mounts on a counter top or vertical surface. The scale features 0.75 in / 19 mm high LCD digits and a Lock/Release key for holding weight after a patient has stepped away from the scale. The scale quickly calculates Body Mass Index by simply entering the patient's height while weighing.



To order call 313-255-6700 or email dawright@standardscale.com

PORTABLE HOME HEALTHCARE SCALES

Detecto
DR550C



STAINLESS STEEL PLATFORM

Detecto's DR550C stainless steel platform scale is battery powered, so you can take it anywhere needed. The scale features a non-skid mat to enhance patient safety when getting on and off the scale. An optional black carrying case with handle protects the scale for transport: DR400C-CASE. Platform size: 12 in x 12 in x 2 in H / 35 cm x 35 cm x 5 cm.

MODEL	CAPACITY
DR550C	550 lb x 0.2 lb / 250 kg x 0.1 kg

- Stainless steel weighing platform
- 1 in / 25 mm high LCD with 5 active digits
- 4 keys - LB/KG, TARE/HOLD, ON, OFF



MOBILE BARIATRIC WEIGHING

Detecto's DR660 features a lightweight, spacious 21.5 in W x 17.2 in D x 1.97 in H / 56 cm W x 44 cm D x 5 cm H weighing platform. The DR660 features a built-in rechargeable battery pack (7.2VDC/1200mA), which is able to provide 8 hours of continuous use, or 120 VAC 60Hz powering a 15 VDC 300mA wall plug-in UL/CUL listed power supply (included). 1 in / 25 mm high LCD digits.

- Large weighing platform
- Integral carrying handle
- RS232 serial output

Detecto
DR660

MODEL	CAPACITY
DR660	660 lb x 0.5 lb / 300 kg x 0.2 kg



To order call 313-255-6700 or email dawright@standardscale.com

PORTABLE HOME HEALTHCARE SCALES



PORTABLE



Detecto
GP-400-758C

MODEL	CAPACITY
GP-400-758C	400 lb x 0.2 lb / 200 kg x 0.1 kg
GP-400KGEU	200 kg x 0.1 kg OIML Class III
GP-600-758C	600 lb x 0.2 lb / 270 kg x 0.1 kg

- USB, serial, and optional Ethernet ports

Ideal for home healthcare, uses for these lightweight, portable scales are almost limitless. With detachable indicators and built-in carrying handles, they go with you anywhere weighing is needed. Their large, easy-to-clean platforms 18 in W x 14 in D x 2 in H / 46 cm W x 36 cm D x 6 cm H feature a black non-skid mat. GP-400-758C is NTEP legal for trade.



LOW PROFILE



Detecto
GP-400-750

MODEL	CAPACITY
GP-400-750	400 lb x 0.2 lb / 200 kg x 0.1 kg

- LOCK/RELEASE key holds weight
- Calculate BMI using arrows keys

The perfect scale for those who need a lightweight, portable scale. With a built-in carrying handle and compact design, this scale goes with you anywhere that weighing is needed. Platform size: 18 in W x 14 in D x 2 in H / 46 cm W x 36 cm D x 6 cm H. Powered by 6 AA batteries (not included) or optional AC adapter. Slip-resistant mat and bubble level.



To order call 313-255-6700 or email dawright@standardscale.com

BATHROOM SCALES

RAISED, EASY-TO-VIEW DIAL



Detecto D350

Detecto's D350 and D350K scales are well-suited for locker rooms, hotels, fitness clubs, pharmacies, nutritional counseling centers, offices, and private households. The powder-coated steel casing is built to last a lifetime. The spacious tread area on the weighing platform is covered in easy-to-clean, black synthetic material for fast wipe-downs.

MODEL	CAPACITY
D350	350 lb x 1 lb / 160 kg x 1 kg
D350K	160 kg x 0.5 kg

- Easy-to-read, large 7 in / 18 cm dial
- 10.6 in x 10.6 in / 27 cm x 27 cm platform
- Adjusting scroll to set zeropoint and balance

WEIGHT TRACKER MARKERS



Detecto D1130

A low profile design and non-skid vinyl mat are just a few features of the Detecto D1130 and D1130K scales - proven performers for budget-minded customers. They feature a white, baked-enamel finish and four personal colorful indicators to mark one person's or a whole family's weights.

MODEL	CAPACITY
D1130	300 lb x 1 lb
D1130K	130 kg x 500 g

- Four colorful weight tracker markers
- Easy-to-read, large 7 in / 18 cm dial
- 11.3 in x 11.8 in / 29 cm x 30 cm platform



To order call 313-255-6700 or email dawright@standardscale.com

STEP-ON CANS

FIVE SIZES - 3 TYPES



MODEL	CAPACITY	DIMENSIONS
White Baked Epoxy		
P-16	16 quart / 4 gallon	13 in H x 11.33 in W x 12.625 in D / 33 cm H x 29 cm W x 32 cm D
P-24	24 quart / 6 gallon	16 in H x 11.33 in W x 12.625 in D / 41 cm H x 29 cm W x 32 cm D
P-32	32 quart / 8 gallon	21 in H x 11.33 in W x 12.625 in D / 53 cm H x 29 cm W x 32 cm D
P-48	48 quart / 12 gallon	23.5 in H x 13.188 in W x 14 in D / 60 cm H x 33 cm W x 36 cm D
P-100	100 quart / 25 gallon	27.5 in H x 16.813 in W x 17.625 in D / 70 cm H x 43 cm W x 45 cm D
Red Baked Epoxy		
P-16R	16 quart / 4 gallon	13 in H x 11.33 in W x 12.625 in D / 33 cm H x 29 cm W x 32 cm D
P-24R	24 quart / 6 gallon	16 in H x 11.33 in W x 12.625 in D / 41 cm H x 29 cm W x 32 cm D
P-32R	32 quart / 8 gallon	21 in H x 11.33 in W x 12.625 in D / 53 cm H x 29 cm W x 32 cm D
P-48R	48 quart / 12 gallon	23.5 in H x 13.188 in W x 14 in D / 60 cm H x 33 cm W x 36 cm D
P-100R	100 quart / 25 gallon	27.5 in H x 16.813 in W x 17.625 in D / 70 cm H x 43 cm W x 45 cm D
Stainless Steel		
C-16	16 quart / 4 gallon	13 in H x 11.33 in W x 12.625 in D / 33 cm H x 29 cm W x 32 cm D
C-24	24 quart / 6 gallon	16 in H x 11.33 in W x 12.625 in D / 41 cm H x 29 cm W x 32 cm D
C-32	32 quart / 8 gallon	21 in H x 11.33 in W x 12.625 in D / 53 cm H x 29 cm W x 32 cm D
C-48	48 quart / 12 gallon	23.5 in H x 13.188 in W x 14 in D / 60 cm H x 33 cm W x 36 cm D
C-100	100 quart / 25 gallon	27.5 in H x 16.813 in W x 17.625 in D / 70 cm H x 43 cm W x 45 cm D

- Free biohazard and infectious waste adhesive labels
- Heavy-duty foot pedal and linkage
- Bag securing mechanism

Named for their rugged toughness, Step-On Cans are perfect for hospitals, doctors' offices, patients' rooms, and laboratory settings. They come in a variety of five different sizes and capacities and two different materials listed above. The cans are flame retardant, have a self-closing lid for sanitation, and feature unitized construction.



To order call 313-255-6700 or email dawright@standardscale.com



WASTE RECEPTACLES

WALL MOUNT HANGING

Detecto's wall-mount hanging waste receptacles allow for quick and easy cleaning and can be permanently positioned just off the ground for sweeping and mopping underneath to keep debris from collecting around the base. Self-closing lid.

- Bag securing mechanism
- Mounting brackets

MODEL	CAPACITY	DIMENSIONS
White Baked Epoxy		
H-60	60 quart / 15 gallon	33 in H x 18.25 in W x 7 in D / 84 cm H x 46 cm W x 17 cm D
H-90	90 quart / 22.5 gallon	37.25 in H x 18 in W x 9.25 in D / 95 cm H x 46 cm W x 23 cm D
Stainless Steel		
H-60S	60 quart / 15 gallon	33 in H x 18.25 in W x 7 in D / 84 cm H x 46 cm W x 17 cm D
H-90S	90 quart / 22.5 gallon	37.25 in H x 18 in W x 9.25 in D / 95 cm H x 46 cm W x 23 cm D



STAINLESS STEEL DURABILITY

These Detecto waste receptacles are built for durability. The SWC Series comes in three different sizes listed below built in stainless steel. The stainless steel construction of Detecto's waste receptacles allow for quick, wipe-down cleaning.

- Hemmed edges
- Easy to clean

MODEL	CAPACITY	DIMENSIONS
Stainless Steel		
SWC-32	32 quart / 8 gallon	20.75 in H x 10 in W x 10 in D / 53 cm H x 25 cm W x 25 cm D
SWC-48	48 quart / 12 gallon	23.3 in H x 11.5 in W x 11.5 in D / 59 cm H x 29 cm W x 29 cm D
SWC-64	64 quart / 16 gallon	24 in H x 17 in W x 10 in D / 61 cm H x 43 cm W x 24 cm D



To order call 313-255-6700 or email dawright@standardscale.com

FOOD SERVICE SCALES

DIETARY PORTIONING

Whatever your need in a top-loading dial scale for cafeterias, Detecto has a model to handle the job. Sturdy construction, stability, temperature compensation for dependable accuracy in environments with fluctuating temperatures and easy readability make these the top loading dial scales of choice.

MODEL	CAPACITY
PT-2R	32 oz x 1/4 oz
PT-5R	5 lb x 1/2 oz
PT-25R	25 lb x 1/8 lb

- 6 in / 15 cm rotating dial
- Baked enamel finish
- Convenient dial viewing angle



Detecto
PT-5R



Detecto
PC-30

Detecto's NTEP legal-for-trade price computing scales feature a brilliant red display that shows weight, unit price and total price simultaneously on each side of the scale to both operator and customer. The 27 easy-to-use PLU (Price Look Up) keys provide instant recall of product prices for speedy calculation of total price and allow fast output to a printer. Platform size: 13.5 in W x 8.75 in D / 34 cm W x 22 cm D.

MODEL	CAPACITY
PC-30	30 lb x 0.01 lb

- RS232 serial port to connect with printer
- 99 programmable preset prices
- NTEP legal for commercial trade



To order call 313-255-6700 or email dawright@standardscale.com

FOOD SERVICE SCALES

DIGITAL PORTION CONTROL



Detecto PS-4

- AC or one 9V battery (not included)
- 5-digit 0.8 in / 20 mm high LCD
- Stainless steel enclosure and platform

MODEL	CAPACITY
PS-4	4 lb x 0.1 oz / 2,000 g x 1 g

Platform size: 5.9 in W x 4.75 in D / 15 cm W x 12 cm D. Overall dimensions: 5.9 in W x 6.7 in D x 1.5 in H / 15 cm W x 17 cm D x 4 cm H.



Detecto PS-7


- Built-in rechargeable battery pack
- 5-digit 0.8 in / 20 mm high LCD
- Plastic enclosure and stainless steel platform

MODEL	CAPACITY
PS-7	7 lb x 0.1 oz / 112 oz x 0.1 oz / 112 oz x 1/8 oz / 3,000 g x 1 g / 7 lb x 0.005 lb

Platform size: 8 in W x 4.9 in D / 24 cm W x 13 cm D. Overall dimensions: 8 in W x 7.9 in D x 2.4 in H / 20 cm W x 20 cm D x 6 cm H



Detecto AP-6

- NTEP legal for commercial trade 
- 5-digit 0.8 in / 20 mm high LED
- Stainless steel enclosure and platform

MODEL	CAPACITY
AP-6	99.95 oz x 0.05 oz

Platform size: 6.8 in W x 5.3 in D / 17 cm W x 13 cm D. Overall dimensions: 7.5 in W x 7 in D x 2.8 in H / 19 cm W x 18 cm W x 7 cm H.



To order call 313-255-6700 or email dawright@standardscale.com

VETERINARY SCALES

PORTABLE WITH BIG PLATFORM



Detecto
VET330WH

MODEL	CAPACITY
VET330WH	330 lb x 0.2 lb / 150 kg x 0.1 kg

- 36 in x 22 in / 90 cm x 55 cm platform
- 1 in / 25 mm high LCD readouts
- HOLD key to retain active animal's weight

This economical, portable scale with a remote weight display is the ideal scale for medium to large size animals. The VET330WH features built-in rechargeable battery power and comes with an AC adapter. The scale's light weight combined with wheels and carrying handle make it ultra portable to allow the weighing to come to the patient.

Featuring built-in wheels
and carrying handle for
added mobility



To order call 313-255-6700 or email dawright@standardscale.com



VETERINARY SCALES

SMALL ANIMALS



Detecto VET50




This portable, compact scale with a remote digital display is the ideal scale for small animals. Its scale base can be positioned up to 8 ft / 2.5 m away from the display. The scale and display are battery powered (6 AA not included) and have a power-saving automatic sleep mode. Overall dimensions: 12 in W x 14 in D x 3 in H / 31 cm W x 36 cm D x 7 cm H.

MODEL	CAPACITY
VET50	50 lb x 0.02 lb / 20 kg x 0.01 kg

- Stainless steel weighing platform
- LOCK key to retain active animal's weight
- Non-skid rubber mat included

LARGE ANIMALS



Detecto VET400



The perfect scale for veterinarians, kennels, labs or anyone handling medium to large size animals. The large, low-profile platform makes it easy for animals to step onto the floor scale without hesitancy. The removable stainless steel platform makes clean-up fast and easy. The indicator comes with a 8 ft / 2.5 m coiled cable and adjustable mounting bracket.

MODEL	CAPACITY
VET400	400 lb x 0.2 lb / 200 kg x 0.1 kg
VET-MAT	Rubber mat for VET400

- 42 in x 22 in / 107 cm x 55 cm platform
- 0.75 in / 19 mm high LCD readouts



To order call 313-255-6700 or email dawright@standardscale.com

LATEX GLOVE BOX HOLDERS

MILD OR STAINLESS STEEL



- Detecto lifetime guarantee
- Installs in seconds
- Private labeling available

Conserve counter space with universal glove box holders. The open design allows you to see what size or type of glove is being dispensed. The USA-made holders accommodate most glove boxes and are universal enough to be used for tissue holders where counter or shelf space is conservative.

MODEL	CAPACITY	DIMENSIONS
White Baked Epoxy		
GH1	Holds 1 box	6.5 in W x 4.25 in D x 10.5 in H / 17 cm W x 11 cm D x 27 cm H
GH2	Holds 2 boxes	12 in W x 4 in D x 10 in H / 30 cm W x 10 cm D x 25 cm H
GH3	Holds 3 boxes	18 in W x 4 in D x 10 in H / 46 cm W x 10 cm D x 25 cm H
Stainless Steel		
GH1SS	Holds 1 box	6.5 in W x 4.25 in D x 10.5 in H / 17 cm W x 11 cm D x 27 cm H
GH2SS	Holds 2 boxes	12 in W x 4 in D x 10 in H / 30 cm W x 10 cm D x 25 cm H
GH3SS	Holds 3 boxes	18 in W x 4 in D x 10 in H / 46 cm W x 10 cm D x 25 cm H



Standard Scale & Supply Company
25421 Glendale Avenue
Redford, MI 48239
313-255-6700
www.standardscale.com

To order call 313-255-6700 or email dawright@standardscale.com

INDEX

11S400H	29	6337	11	C-32	44	MB-CASE	33
2341	35	6339	11	C-48	44	MCS25KGN	37
2371	3	6437	10	CR-1000D	24	MCS25KGNT	37
2371S	4	6437DHR	10	CR-500D	24	MHR	7
2381	3	6439	10	CRM-1000DKGEU	24	P-100	44
2391	3	6449	10	CW-30X	5	P-100R	44
2391S	4	6475	13	CW-39X	5	P150	9
243	35	6475K	13	CW-80X	5	P-16	44
2431	35	6495	21	CW-9	5	P-16R	44
2441	35	6500	24	D1130	43	P-24	44
2491	3	6500KGEU	24	D1130K	43	P-24R	44
253	35	6550	23	D350	43	P-32	44
2531	35	6550KGEU	23	D350K	43	P-32R	44
337	3	6745	30	DHR	7	P-48	44
337S	4	6800	15	DHRWM	8	P-48R	44
338	3	6800KGEU	15	DLM	32	P600	9
339	3	6854DHR	16	DR400-750	40	PC-30	46
339S	4	6854KGEUDHR	16	DR400C	40	PD100	6
349	3	6855	16	DR400C-CASE	40	PD100M	6
3PHNDPST	5	6855KGEU	16	DR550C	41	PD200	6
3PHTROD-1	5	6856	17	DR660	41	PD200M	6
3PHTRODCM-1	5	6856KGEU	17	FH-133-II/C	27	PD300	7
3PHTRODCM-WM	8	6857DHR	17	FH-133-II/CH	27	PD300DHR	7
3PHTRODWHCM-1	5	6857KGEUDHR	17	FH-143-II/C	27	PD300M	7
3PHTROD-WM	8	6868	19	FH-143-II/CH	27	PD300MDHR	7
3PRAMP	22	6868KGEU	19	FH-144-II/C	27	PD300MHR	7
3PWHL	5	6875	14	FH-144-II/CH	27	PD300MMHR	7
437	3	6875KGEU	14	FH-164-II/C	27	PS-4	47
437S	4	6876	18	FH-164-II/CH	27	PS5A-2KD	38
438	3	6876KGEU	18	FHD-133-II	26	PS-7	47
439	3	6880	14	FHD-144-II	26	PL400	29
439S	4	6880KGEU	14	GH1	50	PL600	29
448	3	750	9	GH1SS	50	PL-HLKIT	29
449	3	758C	9	GH2	50	PL-ICKIT	29
450	36	8430	12	GH2SS	50	PRODOC-CASE	6
451	36	8430S	12	GH3	50	PT-2R	46
459	36	8432-CH	31	GH3SS	50	PT-25R	46
4591	36	8435	31	GP-400-750	42	PT-5R	46
459-CH	36	8435KG	31	GP-400-758C	42	SPBT-1728	30
475	13	8437	12	GP-400KGEU	42	SWC-32	45
4751	13	8437S	12	GP-600-758C	42	SWC-48	45
475-CFR	13	8440	34	H-60	45	SWC-64	45
485	22	8440-CASE	34	H-60S	45	T3530	39
4851	22	AP-4KD	38	H-90	45	VET330WH	48
495	20	AP-6	47	H-90S	45	VET400	49
4951	20	BRW1000	25	HS25KGP	37	VET50	49
6127	11	BRW1000KGEU	25	IB800	28	VET-MAT	49
6127KG	11	C-100	44	IBFL500	28		
6129	11	C-16	44	MB130	33		
6129KG	11	C-24	44	MB150	33		

KGEU models are for European use only.

Standard Scale & Supply Company
25421 Glendale Avenue
Redford, MI 48239
313-255-6700
www.standardscale.com



To order call 313-255-6700 or email dawright@standardscale.com

OVER **110** YEARS
of medical accuracy

www.Detecto.com



 USA Manufacturer

Standard Scale & Supply Company
25421 Glendale Avenue
Redford, MI 48239
313-255-6700
www.standardscale.com

Detecto Scale reserves the right to improve, enhance or modify features and specifications without prior notice.
© Copyright 2011 Cardinal Scale Mfg. Co. • Printed in USA • MWC/12K/0911/C-188F